



ULTRA PRESSURE COMPONENTS. ANY


WITHOUT THE WRITTEN PERMISSION OF ULTRA PRESSURE COMPONENTS IS

PROHIBITED.

REPRODUCTION IN PART OR AS A WHOLE







		UNLESS OTHERWISE SPECIFIED:
	REVISION NOTES AND DATES	ALL DIMENSIONS ARE IN INCHES TOLERANCES AS FOLLOWS: 1 PLACE DECIMAL (.0): ±.030 2 PLACE DECIMAL (.00): ±.020 3 PLACE DECIMAL (.000): ±.010 ANGLES: ±2°
		SURFACE FINISH: 63RMS
PROPRIETARY AND CONFIDENTIAL		BREAK ALL EDGES: .010015 FILLETS & ROUINDS: R.015 - 0.30
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF		THREADS UNIFIED CLASS 2A - 2B

I SURFACE FINISH, OSRIVIS	
BREAK ALL EDGES: .010015	0
FILLETS & ROUINDS: R.015 - 0.30	" where
THREADS UNIFIED CLASS 2A - 2B	
CHAMFER THREADS 45° TO ROOT	
30° CHAMFER IS OPTIONAL	(1)
FOR MALE THREADS ONLY	
TOR MALL ITIKLADS ONLI	
	We can handle Pressure

NAME

DATE STARTED IN PRODUCTION:

07/18/2025

BM

DRAWN

CHECKED

DATE 07/18/2025

ULTRA PRESSURE COMPONENTS	
HOUSTON, TX	

07/18/2025 TITLE:

3/8" NPT Female x 3/8" NPT Male 45 degree Elbow - 15,000 psi

SIZE DWG. NO. **REV** 5503F-6N6N SCALE: 1:1 WEIGHT: 0.56 SHEET 1 OF 1

5 3 2