

CATALOG

VALVES & FITTINGS



ultraPressure components

Proudly manufactured in the USA





This Certificate of Registration acknowledges

Ultra Pressure Components, Inc.

17411 West Strack Drive
Spring, Texas 77379
United States

is registered in recognition of a Single Site quality management system
demonstrated in conformance with

ISO 9001:2015

Scope of Registration:

Manufacture and Distribution Of High Pressure Valves and Fittings To
Customer Supplied Criteria.



Ed Maschmeier
Edward Maschmeier
Vice President of PRI Certification

Number: 22019
Issued: 05-Apr-2024
Expires: 04-Apr-2027



Standard 316 Stainless Steel Fittings Stocked:

We stock over 700 combinations of the following standard fittings in 316 stainless steel:

- NPT National Pipe Thread
- JIC - 37° Flare
- Medium Pressure - 20K
- High Pressure - 60K
- BSPP - British Standard Parallel Pipe
- Type M - Hydraulic Hose, reverse high pressure

Standard Part Configurations:

- Hex Nipples - Male x Male
- Hex Reducers - Female x Male
- Hex Couplers - Female x Female
- Round Nipples - Male x Male
- Round Slimline Couplers - Female x Female
- Elbows
- Tees
- Crosses
- Gland Nuts & Collars
- Plugs
- Caps



Our extensive product and manufacturing experience gives us the ability to handle all types of non-standard requests.

We usually do not require prints, so if you know what you need, please give us a call.

Standard Fittings in Other Material:

The table below shows the range of materials available for standard fittings

- Aluminum 6061 T-6
- 17-4
- Nitronic 50
- 13-8 MO
- C1144 Stressproof
- 1018
- Super Duplex 2507
- 303
- Hastelloy 276 and C22
- 12L14
- Monel 400 and K-500
- 304
- Titanium
- 4130
- Inconel 625 and 718
- 316L
- C464 Brass
- 4140
- CDA C510 Bronze
- 4340

Non-Standard and Hard-to-Find Fittings:

- Standard connections in unusual sizes
- Standard connections in non-standard lengths
- Standard connections with non-standard ID and/or OD
- Metric, SAE, Socket or Butt Weld connections

Custom Fittings

- Tube to adapter conversions
- Puttings flats on round components
- Manifolds with unusual connection combinations
- Custom parts to drawings/prints

How to use this table: Look by one end first in the following order NPT, then Medium Pressure, then High Pressure, then BSPP, then JIC, and then Type M. Example: A Medium Pressure x NPT will be in the NPT section since NPT is first in this catalog.

NPT CONNECTIONS		PAGE	HIGH PRESSURE CONNECTIONS		PAGE
NPT - Male x Male			High Pressure - Male x Male (Continued)		
NPT Male	X NPT Male	5	High Male	X JIC Male	28
NPT Male	X Medium Pressure Male	6	High Male	X Type M Male	28
NPT Male	X High Pressure Male	7	High Pressure - Female X Male		
NPT Male	X BSPP Male	7	High Female	X NPT Male	29
NPT Male	X JIC Male	8	High Female	X Medium Pressure Male	30
NPT Male	X Type M Male	9	High Female	X High Pressure Male	31
NPT - Female x Male			High Pressure - Female x Female		
NPT Female	X NPT Male	10	High Female	X High Pressure Female	31
NPT Female	X Medium Pressure Male	11	BSPP CONNECTIONS		
NPT Female	X High Pressure Male	12	BSPP Male	X BSPP Male	32
NPT Female	X BSPP Male	13	BSPP Male	X Type M Male	32
NPT Female	X JIC Male	13	JIC CONNECTIONS		
NPT Female	X Type M Male	14	JIC Male	X JIC Male	33
NPT - Female x Female			JIC Male	X Type M Male	33
NPT Female	X NPT Female	15	JIC Female	X JIC Male	34
NPT Female	X Medium Pressure Female	16	JIC Female	X Type M Male	34
NPT Female	X High Pressure Female	17	JIC Female	X JIC Female	35
MEDIUM PRESSURE CONNECTIONS		PAGE	TYPE M CONNECTIONS		PAGE
Medium Pressure - Male x Male			Type M Male	X Type M Male	35
Medium Male	X Medium Male	18	CAPS		36
Medium Male	X High Male	19	PLUGS		37
Medium Male	X BSPP Male	19	ROUND NIPPLES		38
Medium Male	X JIC Male	20	ELBOWS		39
Medium Male	X Type M Male	21	TEES		40
Medium Pressure - Female x Male			CROSSES		41
Medium Female	X NPT Male	22	GLAND NUTS & COLLARS		42
Medium Female	X Medium Pressure Male	23	QUICK COUPLERS		43-45
Medium Female	X High Pressure Male	24	NEEDLE VALVES		46
Medium Pressure - Female x Female			CHECK VALVES		47
Medium Female	X NPT Female	16	BALL VALVES		48
Medium Female	X Medium Pressure Female	25	TUBING		49
Medium Female	X High Pressure Female	26			
HIGH PRESSURE CONNECTIONS		PAGE			
High Pressure - Male x Male					
High Male	X High Male	27			
High Male	X BSPP Male	27			

NPT Male x NPT Male 5404-N_N

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/16" NPT Male	X	1/16" NPT Male	5404-1N1N	15K PSI	
1/16" NPT Male	X	1/8" NPT Male	5404-1N2N	15K PSI	
1/8" NPT Male	X	1/8" NPT Male	5404-2N2N	15K PSI	
1/8" NPT Male	X	1/4" NPT Male	5404-2N4N	15K PSI	
1/8" NPT Male	X	3/8" NPT Male	5404-2N6N	15K PSI	
1/8" NPT Male	X	1/2" NPT Male	5404-2N8N	15K PSI	
1/4" NPT Male	X	1/4" NPT Male	5404-4N4N	15K PSI	
1/4" NPT Male	X	1/4" NPT Male	5404-4N4N-2.0	15K PSI	2.00" Long
1/4" NPT Male	X	1/4" NPT Male	5404-4N4N-3.0	15K PSI	3.00" Long
1/4" NPT Male	X	1/4" NPT Male	5404-4N4N-4.0	15K PSI	4.00" Long
1/4" NPT Male	X	1/4" NPT Male	5404-4N4N-6.0	15K PSI	6.00" Long
1/4" NPT Male	X	3/8" NPT Male	5404-4N6N	15K PSI	
1/4" NPT Male	X	1/2" NPT Male	5404-4N8N	15K PSI	
1/4" NPT Male	X	3/4" NPT Male	5404-4N12N	10K PSI	
1/4" NPT Male	X	1" NPT Male	5404-4N16N	10K PSI	
3/8" NPT Male	X	3/8" NPT Male	5404-6N6N	15K PSI	
3/8" NPT Male	X	1/2" NPT Male	5404-6N8N	15K PSI	
3/8" NPT Male	X	3/4" NPT Male	5404-6N12N	10K PSI	
3/8" NPT Male	X	1" NPT Male	5404-6N16N	10K PSI	
1/2" NPT Male	X	1/2" NPT Male	5404-8N8N	15K PSI	
1/2" NPT Male	X	1/2" NPT Male	5404-8N8N-3.0	15K PSI	
1/2" NPT Male	X	1/2" NPT Male	5404-8N8N-4.0	15K PSI	
1/2" NPT Male	X	1/2" NPT Male	5404-8N8N-6.0	15K PSI	
1/2" NPT Male	X	3/4" NPT Male	5404-8N12N	10K PSI	
1/2" NPT Male	X	1" NPT Male	5404-8N16N	10K PSI	
3/4" NPT Male	X	3/4" NPT Male	5404-12N12N	10K PSI	
3/4" NPT Male	X	1" NPT Male	5404-12N16N	10K PSI	
1" NPT Male	X	1" NPT Male	5404-16N16N	10K PSI	
1" NPT Male	X	1-1/4" NPT Male	5404-16N20N	7.5K PSI	
1" NPT Male	X	1-1/2" NPT Male	5404-16N24N	7.5K PSI	
1" NPT Male	X	2" NPT Male	5404-16N32N	7.5K PSI	

NPT Male x Medium Pressure Male
5404-_N_M

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4" NPT Male	X	1/4" Medium Pressure Male	5404-4N4M	15K PSI	
1/4" NPT Male	X	3/8" Medium Pressure Male	5404-4N6M	15K PSI	
1/4" NPT Male	X	9/16" Medium Pressure Male	5404-4N9M	15K PSI	
1/4" NPT Male	X	3/4" Medium Pressure Male	5404-4N12M	15K PSI	
1/4" NPT Male	X	1" Medium Pressure Male	5404-4N16M	15K PSI	
3/8" NPT Male	X	1/4" Medium Pressure Male	5404-6N4M	15K PSI	
3/8" NPT Male	X	3/8" Medium Pressure Male	5404-6N6M	15K PSI	
3/8" NPT Male	X	9/16" Medium Pressure Male	5404-6N9M	15K PSI	
3/8" NPT Male	X	3/4" Medium Pressure Male	5404-6N12M	15K PSI	
3/8" NPT Male	X	1" Medium Pressure Male	5404-6N16M	15K PSI	
1/2" NPT Male	X	1/4" Medium Pressure Male	5404-8N4M	15K PSI	
1/2" NPT Male	X	3/8" Medium Pressure Male	5404-8N6M	15K PSI	
1/2" NPT Male	X	9/16" Medium Pressure Male	5404-8N9M	15K PSI	
1/2" NPT Male	X	3/4" Medium Pressure Male	5404-8N12M	15K PSI	
1/2" NPT Male	X	1" Medium Pressure Male	5404-8N16M	15K PSI	
3/4" NPT Male	X	9/16" Medium Pressure Male	5404-12N9M	10K PSI	
3/4" NPT Male	X	3/4" Medium Pressure Male	5404-12N12M	10K PSI	
3/4" NPT Male	X	1" Medium Pressure Male	5404-12N16M	10K PSI	
1" NPT Male	X	9/16" Medium Pressure Male	5404-16N9M	10K PSI	
1" NPT Male	X	3/4" Medium Pressure Male	5404-16N12M	10K PSI	
1" NPT Male	X	1" Medium Pressure Male	5404-16N16M	10K PSI	

NPT Male x High Pressure Male 5404-_N_H

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4" NPT Male	X	1/4" High Pressure Male	5404-4N4H	15K PSI	
1/4" NPT Male	X	3/8" High Pressure Male	5404-4N6H	15K PSI	
1/4" NPT Male	X	9/16" High Pressure Male	5404-4N9H	15K PSI	
3/8" NPT Male	X	1/4" High Pressure Male	5404-6N4H	15K PSI	
3/8" NPT Male	X	3/8" High Pressure Male	5404-6N6H	15K PSI	
3/8" NPT Male	X	9/16" High Pressure Male	5404-6N9H	15K PSI	
1/2" NPT Male	X	1/4" High Pressure Male	5404-8N4H	15K PSI	
1/2" NPT Male	X	3/8" High Pressure Male	5404-8N6H	15K PSI	
1/2" NPT Male	X	9/16" High Pressure Male	5404-8N9H	15K PSI	
3/4" NPT Male	X	1/4" High Pressure Male	5404-12N4H	10K PSI	
3/4" NPT Male	X	3/8" High Pressure Male	5404-12N6H	10K PSI	
3/4" NPT Male	X	9/16" High Pressure Male	5404-12N9H	10K PSI	
1" NPT Male	X	9/16" High Pressure Male	5404-16N9H	10K PSI	

NPT Male x BSPP Male 5404-_N_B

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4" NPT Male	X	1/4" BSPP Male	5404-4N4B	15K PSI	Internal Cone
3/8" NPT Male	X	3/8" BSPP Male	5404-6N6B	15K PSI	Internal Cone
1/2" NPT Male	X	1/4" BSPP Male	5404-8N4B	15K PSI	Internal Cone
1/2" NPT Male	X	3/8" BSPP Male	5404-8N6B	15K PSI	Internal Cone
1/2" NPT Male	X	1/2" BSPP Male	5404-8N8B	15K PSI	Internal Cone
1" NPT Male	X	3/8" BSPP Male	5404-16N6B	10K PSI	Internal Cone

NPT Male x JIC Male
5404-NJ

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/8"	X	NPT Male	5404-2N4J	15K PSI	
1/4"	X	NPT Male	5404-4N4J	15K PSI	
1/4"	X	NPT Male	5404-4N6J	15K PSI	
1/4"	X	NPT Male	5404-4N8J	15K PSI	
3/8"	X	NPT Male	5404-6N4J	15K PSI	
3/8"	X	NPT Male	5404-6N6J	15K PSI	
3/8"	X	NPT Male	5404-6N8J	15K PSI	
1/2"	X	NPT Male	5404-8N4J	15K PSI	
1/2"	X	NPT Male	5404-8N6J	15K PSI	
1/2"	X	NPT Male	5404-8N8J	15K PSI	
3/4"	X	NPT Male	5404-12N6J	10K PSI	
3/4"	X	NPT Male	5404-12N8J	10K PSI	
3/4"	X	NPT Male	5404-12N12J	10K PSI	
3/4"	X	NPT Male	5404-12N16J	10K PSI	
1"	X	NPT Male	5404-16N8J	10K PSI	
1"	X	NPT Male	5404-16N12J	10K PSI	
1"	X	NPT Male	5404-16N16J	10K PSI	



NPT HEX CONNECTIONS

Valves & Fittings Catalog

NPT Male x Type M Male 5404- NM

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/8"	X	NPT Male	5404-2NM9	15K PSI	
1/4"	X	NPT Male	5404-4NM9	15K PSI	
1/4"	X	NPT Male	5404-4NM12	15K PSI	
1/4"	X	NPT Male	5404-4NM16	15K PSI	
3/8"	X	NPT Male	5404-6NM9	15K PSI	
3/8"	X	NPT Male	5404-6NM12	15K PSI	
3/8"	X	NPT Male	5404-6NM16	15K PSI	
1/2"	X	NPT Male	5404-8NM9	15K PSI	
1/2"	X	NPT Male	5404-8NM12	15K PSI	
1/2"	X	NPT Male	5404-8NM16	15K PSI	
1/2"	X	NPT Male	5404-8NM21	15K PSI	
3/4"	X	NPT Male	5404-12NM9	10K PSI	
3/4"	X	NPT Male	5404-12NM12	10K PSI	
3/4"	X	NPT Male	5404-12NM16	10K PSI	
3/4"	X	NPT Male	5404-12NM21	10K PSI	
1"	X	NPT Male	5404-16NM9	10K PSI	
1"	X	NPT Male	5404-16NM12	10K PSI	
1"	X	NPT Male	5404-16NM16	10K PSI	
1"	X	NPT Male	5404-16NM21	10K PSI	
1-1/4"	X	NPT Male	5404-20NM16	7.5K PSI	
1-1/4"	X	NPT Male	5404-20NM21	7.5K PSI	
1-1/2"	X	NPT Male	5404-24NM9	7.5K PSI	
1-1/2"	X	NPT Male	5404-24NM21	7.5K PSI	
2"	X	NPT Male	5404-32NM16	7.5K PSI	
2"	X	NPT Male	5404-32NM21	7.5K PSI	



NPT HEX CONNECTIONS

Valves & Fittings Catalog

NPT Female x NPT Male 5406-_N_N

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/16"	NPT Female	X 1/8" NPT Male	5406-1N2N	15K PSI	
1/16"	NPT Female	X 1/4" NPT Male	5406-1N4N	15K PSI	
1/16"	NPT Female	X 3/8" NPT Male	5406-1N6N	15K PSI	
1/16"	NPT Female	X 1/2" NPT Male	5406-1N8N	15K PSI	
1/8"	NPT Female	X 1/16" NPT Male	5406-2N1N	15K PSI	
1/8"	NPT Female	X 1/4" NPT Male	5406-2N4N	15K PSI	
1/8"	NPT Female	X 3/8" NPT Male	5406-2N6N	15K PSI	
1/8"	NPT Female	X 1/2" NPT Male	5406-2N8N	15K PSI	
1/4"	NPT Female	X 1/16" NPT Male	5406-4N1N	15K PSI	
1/4"	NPT Female	X 1/8" NPT Male	5406-4N2N	15K PSI	
1/4"	NPT Female	X 1/4" NPT Male	5406-4N4N	15K PSI	
1/4"	NPT Female	X 3/8" NPT Male	5406-4N6N	15K PSI	
1/4"	NPT Female	X 1/2" NPT Male	5406-4N8N	15K PSI	
1/4"	NPT Female	X 3/4" NPT Male	5406-4N12N	10K PSI	
1/4"	NPT Female	X 1" NPT Male	5406-4N16N	10K PSI	
3/8"	NPT Female	X 1/8" NPT Male	5406-6N2N	15K PSI	
3/8"	NPT Female	X 1/4" NPT Male	5406-6N4N	15K PSI	
3/8"	NPT Female	X 3/8" NPT Male	5406-6N6N	15K PSI	
3/8"	NPT Female	X 1/2" NPT Male	5406-6N8N	15K PSI	
3/8"	NPT Female	X 3/4" NPT Male	5406-6N12N	10K PSI	
3/8"	NPT Female	X 1" NPT Male	5406-6N16N	10K PSI	
1/2"	NPT Female	X 1/4" NPT Male	5406-8N4N	15K PSI	
1/2"	NPT Female	X 3/8" NPT Male	5406-8N6N	15K PSI	
1/2"	NPT Female	X 1/2" NPT Male	5406-8N8N	15K PSI	
1/2"	NPT Female	X 3/4" NPT Male	5406-8N12N	10K PSI	
1/2"	NPT Female	X 1" NPT Male	5406-8N16N	10K PSI	
3/4"	NPT Female	X 1/4" NPT Male	5406-12N4N	10K PSI	
3/4"	NPT Female	X 3/8" NPT Male	5406-12N6N	10K PSI	
3/4"	NPT Female	X 1/2" NPT Male	5406-12N8N	10K PSI	
3/4"	NPT Female	X 3/4" NPT Male	5406-12N12N	10K PSI	
3/4"	NPT Female	X 1" NPT Male	5406-12N16N	10K PSI	
1"	NPT Female	X 3/8" NPT Male	5406-16N6N	10K PSI	
1"	NPT Female	X 1/2" NPT Male	5406-16N8N	10K PSI	
1"	NPT Female	X 3/4" NPT Male	5406-16N12N	10K PSI	
1"	NPT Female	X 2" NPT Male	5406-16N32N	7.5K PSI	

NPT Female x Medium Pressure Male 5406-_N_M

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/16" NPT Female	X	9/16" Medium Pressure Male	5406-1N9M	15K PSI	
1/8" NPT Female	X	1/4" Medium Pressure Male	5406-2N4M	15K PSI	
1/8" NPT Female	X	3/8" Medium Pressure Male	5406-2N6M	15K PSI	
1/8" NPT Female	X	9/16" Medium Pressure Male	5406-2N9M	15K PSI	
1/8" NPT Female	X	3/4" Medium Pressure Male	5406-2N12M	15K PSI	
1/4" NPT Female	X	1/4" Medium Pressure Male	5406-4N4M	15K PSI	
1/4" NPT Female	X	3/8" Medium Pressure Male	5406-4N6M	15K PSI	
1/4" NPT Female	X	9/16" Medium Pressure Male	5406-4N9M	15K PSI	
1/4" NPT Female	X	3/4" Medium Pressure Male	5406-4N12M	15K PSI	
1/4" NPT Female	X	1" Medium Pressure Male	5406-4N16M	15K PSI	
3/8" NPT Female	X	1/4" Medium Pressure Male	5406-6N4M	15K PSI	
3/8" NPT Female	X	3/8" Medium Pressure Male	5406-6N6M	15K PSI	
3/8" NPT Female	X	9/16" Medium Pressure Male	5406-6N9M	15K PSI	
3/8" NPT Female	X	3/4" Medium Pressure Male	5406-6N12M	15K PSI	
3/8" NPT Female	X	1" Medium Pressure Male	5406-6N16M	15K PSI	
1/2" NPT Female	X	1/4" Medium Pressure Male	5406-8N4M	15K PSI	
1/2" NPT Female	X	3/8" Medium Pressure Male	5406-8N6M	15K PSI	
1/2" NPT Female	X	9/16" Medium Pressure Male	5406-8N9M	15K PSI	
1/2" NPT Female	X	3/4" Medium Pressure Male	5406-8N12M	15K PSI	
1/2" NPT Female	X	1" Medium Pressure Male	5406-8N16M	15K PSI	
3/4" NPT Female	X	3/8" Medium Pressure Male	5406-12N6M	10K PSI	
3/4" NPT Female	X	9/16" Medium Pressure Male	5406-12N9M	10K PSI	
3/4" NPT Female	X	3/4" Medium Pressure Male	5406-12N12M	10K PSI	
3/4" NPT Female	X	1" Medium Pressure Male	5406-12N16M	10K PSI	
1" NPT Female	X	3/8" Medium Pressure Male	5406-16N6M	10K PSI	
1" NPT Female	X	9/16" Medium Pressure Male	5406-16N9M	10K PSI	
1" NPT Female	X	3/4" Medium Pressure Male	5406-16N12M	10K PSI	
1" NPT Female	X	1" Medium Pressure Male	5406-16N16M	10K PSI	

NPT Female x High Pressure Male 5406-N_H

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/16" NPT Female	X	3/8" High Pressure Male	5406-1N6H	15K PSI	
1/8" NPT Female	X	1/4" High Pressure Male	5406-2N4H	15K PSI	
1/8" NPT Female	X	3/8" High Pressure Male	5406-2N6H	15K PSI	
1/8" NPT Female	X	9/16" High Pressure Male	5406-2N9H	15K PSI	
1/4" NPT Female	X	1/4" High Pressure Male	5406-4N4H	15K PSI	
1/4" NPT Female	X	3/8" High Pressure Male	5406-4N6H	15K PSI	
1/4" NPT Female	X	9/16" High Pressure Male	5406-4N9H	15K PSI	
3/8" NPT Female	X	1/4" High Pressure Male	5406-6N4H	15K PSI	
3/8" NPT Female	X	3/8" High Pressure Male	5406-6N6H	15K PSI	
3/8" NPT Female	X	9/16" High Pressure Male	5406-6N9H	15K PSI	
1/2" NPT Female	X	1/4" High Pressure Male	5406-8N4H	15K PSI	
1/2" NPT Female	X	3/8" High Pressure Male	5406-8N6H	15K PSI	
1/2" NPT Female	X	9/16" High Pressure Male	5406-8N9H	15K PSI	
3/4" NPT Female	X	3/8" High Pressure Male	5406-12N6H	10K PSI	
3/4" NPT Female	X	9/16" High Pressure Male	5406-12N9H	10K PSI	
1" NPT Female	X	9/16" High Pressure Male	5406-16N9H	10K PSI	

NPT Female x BSPP Male 5406-_N_B

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4" NPT Female	X	1/4" BSPP Male	5406-4N4B	15K PSI	Internal Cone
3/8" NPT Female	X	3/8" BSPP Male	5406-6N6B	15K PSI	Internal Cone
1/2" NPT Female	X	1/2" BSPP Male	5406-8N8B	15K PSI	Internal Cone

NPT Female x JIC Male 5406-_N_J

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4" NPT Female	X	1/4" JIC Male	5406-4N4J	15K PSI	
1/4" NPT Female	X	3/8" JIC Male	5406-4N6J	15K PSI	
1/4" NPT Female	X	1/2" JIC Male	5406-4N8J	15K PSI	
3/8" NPT Female	X	1/4" JIC Male	5406-6N4J	15K PSI	
3/8" NPT Female	X	3/8" JIC Male	5406-6N6J	15K PSI	
3/8" NPT Female	X	1/2" JIC Male	5406-6N8J	15K PSI	
1/2" NPT Female	X	1/4" JIC Male	5406-8N4J	15K PSI	
1/2" NPT Female	X	3/8" JIC Male	5406-8N6J	15K PSI	
1/2" NPT Female	X	1/2" JIC Male	5406-8N8J	15K PSI	
1/2" NPT Female	X	3/4" JIC Male	5406-8N12J	10K PSI	
3/4" NPT Female	X	1/2" JIC Male	5406-12N8J	10K PSI	
3/4" NPT Female	X	3/4" JIC Male	5406-12N12J	10K PSI	
1" NPT Female	X	1" JIC Male	5406-16N16J	10K PSI	

NPT Female x Type M Male 5406- NM

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4" NPT Female	X	9/16" Type M Male	5406-4NM9	15K PSI	
1/4" NPT Female	X	3/4" Type M Male	5406-4NM12	15K PSI	
3/8" NPT Female	X	9/16" Type M Male	5406-6NM9	15K PSI	
3/8" NPT Female	X	3/4" Type M Male	5406-6NM12	15K PSI	
3/8" NPT Female	X	1" Type M Male	5406-6NM16	15K PSI	
1/2" NPT Female	X	9/16" Type M Male	5406-8NM9	15K PSI	
1/2" NPT Female	X	3/4" Type M Male	5406-8NM12	15K PSI	
1/2" NPT Female	X	1" Type M Male	5406-8NM16	15K PSI	
3/4" NPT Female	X	9/16" Type M Male	5406-12NM9	10K PSI	
3/4" NPT Female	X	3/4" Type M Male	5406-12NM12	10K PSI	
3/4" NPT Female	X	1" Type M Male	5406-12NM16	10K PSI	
1" NPT Female	X	9/16" Type M Male	5406-16NM9	10K PSI	
1" NPT Female	X	3/4" Type M Male	5406-16NM12	10K PSI	
1" NPT Female	X	1" Type M Male	5406-16NM16	10K PSI	
1" NPT Female	X	1-5/16" Type M Male	5406-16NM21	10K PSI	

NPT Female x NPT Female 5000-NN

These are stocked items only. Custom Combinations are available



FEMALE	X	FEMALE	PART NUMBER	MAWP	COMMENTS
1/16" NPT Female	X	1/4" NPT Female	5000-1N4N	15K PSI	
1/16" NPT Female	X	1/2" NPT Female	5000-1N8N	15K PSI	
1/8" NPT Female	X	1/8" NPT Female	5000-2N2N	15K PSI	
1/8" NPT Female	X	1/4" NPT Female	5000-2N4N	15K PSI	
1/8" NPT Female	X	3/8" NPT Female	5000-2N6N	15K PSI	
1/8" NPT Female	X	1/2" NPT Female	5000-1N8N	15K PSI	
1/4" NPT Female	X	1/4" NPT Female	5000-4N4N	15K PSI	
1/4" NPT Female	X	3/8" NPT Female	5000-4N6N	15K PSI	
1/4" NPT Female	X	1/2" NPT Female	5000-4N8N	15K PSI	
1/4" NPT Female	X	3/4" NPT Female	5000-4N12N	10K PSI	
3/8" NPT Female	X	3/8" NPT Female	5000-6N6N	15K PSI	
3/8" NPT Female	X	1/2" NPT Female	5000-6N8N	15K PSI	
3/8" NPT Female	X	3/4" NPT Female	5000-6N12N	10K PSI	
3/8" NPT Female	X	1" NPT Female	5000-6N16N	10K PSI	
1/2" NPT Female	X	1/2" NPT Female	5000-8N8N	15K PSI	
1/2" NPT Female	X	3/4" NPT Female	5000-8N12N	10K PSI	
1/2" NPT Female	X	1" NPT Female	5000-8N16N	10K PSI	
3/4" NPT Female	X	3/4" NPT Female	5000-12N12N	10K PSI	
3/4" NPT Female	X	1" NPT Female	5000-12N16N	10K PSI	
1" NPT Female	X	1" NPT Female	5000-16N16N	10K PSI	

NPT Female x Medium Pressure Female 5000-NM

These are stocked items only. Custom Combinations are available



FEMALE	X	FEMALE	PART NUMBER	MAWP	COMMENTS
1/8" NPT Female	X	1/4" Medium Pressure Female	5000-2N4M	15K PSI	
1/8" NPT Female	X	3/8" Medium Pressure Female	5000-2N6M	15K PSI	
1/8" NPT Female	X	9/16" Medium Pressure Female	5000-2N9M	15K PSI	
1/4" NPT Female	X	1/4" Medium Pressure Female	5000-4N4M	15K PSI	
1/4" NPT Female	X	3/8" Medium Pressure Female	5000-4N6M	15K PSI	
1/4" NPT Female	X	9/16" Medium Pressure Female	5000-4N9M	15K PSI	
3/8" NPT Female	X	1/4" Medium Pressure Female	5000-6N4M	15K PSI	
3/8" NPT Female	X	3/8" Medium Pressure Female	5000-6N6M	15K PSI	
3/8" NPT Female	X	9/16" Medium Pressure Female	5000-6N9M	15K PSI	
1/2" NPT Female	X	1/4" Medium Pressure Female	5000-8N4M	15K PSI	
1/2" NPT Female	X	3/8" Medium Pressure Female	5000-8N6M	15K PSI	
1/2" NPT Female	X	9/16" Medium Pressure Female	5000-8N9M	15K PSI	
1/2" NPT Female	X	3/4" Medium Pressure Female	5000-8N12M	15K PSI	
3/4" NPT Female	X	3/8" Medium Pressure Female	5000-12N6M	10K PSI	
3/4" NPT Female	X	9/16" Medium Pressure Female	5000-12N9M	10K PSI	
3/4" NPT Female	X	3/4" Medium Pressure Female	5000-12N12M	10K PSI	
3/4" NPT Female	X	1" Medium Pressure Female	5000-12N16M	10K PSI	
1" NPT Female	X	3/8" Medium Pressure Female	5000-16N6M	10K PSI	
1" NPT Female	X	9/16" Medium Pressure Female	5000-16N9M	10K PSI	
1" NPT Female	X	3/4" Medium Pressure Female	5000-16N12M	10K PSI	
1" NPT Female	X	1" Medium Pressure Female	5000-16N16M	10K PSI	

NPT Female x High Pressure Female 5000-_N_H

These are stocked items only. Custom Combinations are available



FEMALE	X	FEMALE	PART NUMBER	MAWP	COMMENTS
1/4" NPT Female	X	1/4" High Pressure Female	5000-4N4H	15K PSI	
1/4" NPT Female	X	3/8" High Pressure Female	5000-4N6H	15K PSI	
1/4" NPT Female	X	9/16" High Pressure Female	5000-4N9H	15K PSI	
3/8" NPT Female	X	1/4" High Pressure Female	5000-6N4H	15K PSI	
3/8" NPT Female	X	3/8" High Pressure Female	5000-6N6H	15K PSI	
3/8" NPT Female	X	9/16" High Pressure Female	5000-6N9H	15K PSI	
1/2" NPT Female	X	1/4" High Pressure Female	5000-8N4H	15K PSI	
1/2" NPT Female	X	3/8" High Pressure Female	5000-8N6H	15K PSI	
1/2" NPT Female	X	9/16" High Pressure Female	5000-8N9H	15K PSI	
3/4" NPT Female	X	1/4" High Pressure Female	5000-12N4H	10K PSI	
3/4" NPT Female	X	3/8" High Pressure Female	5000-12N6H	10K PSI	
3/4" NPT Female	X	9/16" High Pressure Female	5000-12N9H	10K PSI	
1" NPT Female	X	1/4" High Pressure Female	5000-16N4H	10K PSI	
1" NPT Female	X	3/8" High Pressure Female	5000-16N6H	10K PSI	
1" NPT Female	X	9/16" High Pressure Female	5000-16N9H	10K PSI	

Medium Pressure Male x Medium Pressure Male 5404-_M_M

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS	
1/4"	Medium Pressure Male	X	1/4"	Medium Pressure Male	5404-4M4M	20K PSI
1/4"	Medium Pressure Male	X	3/8"	Medium Pressure Male	5404-4M6M	20K PSI
1/4"	Medium Pressure Male	X	9/16"	Medium Pressure Male	5404-4M9M	20K PSI
1/4"	Medium Pressure Male	X	3/4"	Medium Pressure Male	5404-4M12M	20K PSI
1/4"	Medium Pressure Male	X	1"	Medium Pressure Male	5404-4M16M	20K PSI
3/8"	Medium Pressure Male	X	3/8"	Medium Pressure Male	5404-6M6M	20K PSI
3/8"	Medium Pressure Male	X	9/16"	Medium Pressure Male	5404-6M9M	20K PSI
3/8"	Medium Pressure Male	X	3/4"	Medium Pressure Male	5404-6M12M	20K PSI
3/8"	Medium Pressure Male	X	1"	Medium Pressure Male	5404-6M16M	20K PSI
9/16"	Medium Pressure Male	X	9/16"	Medium Pressure Male	5404-9M9M	20K PSI
9/16"	Medium Pressure Male	X	3/4"	Medium Pressure Male	5404-9M12M	20K PSI
9/16"	Medium Pressure Male	X	1"	Medium Pressure Male	5404-9M16M	20K PSI
3/4"	Medium Pressure Male	X	3/4"	Medium Pressure Male	5404-12M12M	20K PSI
3/4"	Medium Pressure Male	X	1"	Medium Pressure Male	5404-12M16M	20K PSI
1"	Medium Pressure Male	X	1"	Medium Pressure Male	5404-16M16M	20K PSI

Medium Pressure Male x High Pressure Male **5404-M_H**

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	Medium Pressure Male	X 1/4" High Pressure Male	5404-4M4H	20K PSI	
1/4"	Medium Pressure Male	X 3/8" High Pressure Male	5404-4M6H	20K PSI	
1/4"	Medium Pressure Male	X 9/16" High Pressure Male	5404-4M9H	20K PSI	
3/8"	Medium Pressure Male	X 1/4" High Pressure Male	5404-6M4H	20K PSI	
3/8"	Medium Pressure Male	X 3/8" High Pressure Male	5404-6M6H	20K PSI	
3/8"	Medium Pressure Male	X 9/16" High Pressure Male	5404-6M9H	20K PSI	
9/16"	Medium Pressure Male	X 1/4" High Pressure Male	5404-9M4H	20K PSI	
9/16"	Medium Pressure Male	X 3/8" High Pressure Male	5404-9M6H	20K PSI	
9/16"	Medium Pressure Male	X 9/16" High Pressure Male	5404-9M9H	20K PSI	
3/4"	Medium Pressure Male	X 1/4" High Pressure Male	5404-12M4H	20K PSI	
3/4"	Medium Pressure Male	X 3/8" High Pressure Male	5404-12M6H	20K PSI	
3/4"	Medium Pressure Male	X 9/16" High Pressure Male	5404-12M9H	20K PSI	
1"	Medium Pressure Male	X 1/4" High Pressure Male	5404-16M4H	20K PSI	
1"	Medium Pressure Male	X 3/8" High Pressure Male	5404-16M6H	20K PSI	
1"	Medium Pressure Male	X 9/16" High Pressure Male	5404-16M9H	20K PSI	

Medium Pressure Male x BSPP Male **5404-M_B**

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	Medium Pressure Male	X 1/4" BSPP Internal Male	5404-4M4B	20K PSI	Internal Cone
1/4"	Medium Pressure Male	X 1/4" BSPP External Male	5404-4M4BE	20K PSI	External Cone
3/8"	Medium Pressure Male	X 1/4" BSPP Internal Male	5404-6M4B	20K PSI	Internal Cone
3/8"	Medium Pressure Male	X 3/8" BSPP Internal Male	5404-6M6B	20K PSI	Internal Cone
9/16"	Medium Pressure Male	X 1/4" BSPP Internal Male	5404-9M4B	20K PSI	Internal Cone
9/16"	Medium Pressure Male	X 3/8" BSPP Internal Male	5404-9M6B	20K PSI	Internal Cone
9/16"	Medium Pressure Male	X 1/2" BSPP Internal Male	5404-9M8B	20K PSI	Internal Cone

Medium Pressure Male x JIC Male 5404_M_J

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	1/4" JIC Male	5404-4M4J	15K PSI	
1/4"	X	3/8" JIC Male	5404-4M6J	15K PSI	
1/4"	X	1/2" JIC Male	5404-4J8J	15K PSI	
3/8"	X	1/4" JIC Male	5404-6M4J	15K PSI	
3/8"	X	3/8" JIC Male	5404-6M6J	15K PSI	
3/8"	X	1/2" JIC Male	5404-6M8J	15K PSI	
9/16"	X	1/4" JIC Male	5404-9M4J	15K PSI	
9/16"	X	3/8" JIC Male	5404-9M6J	15K PSI	
9/16"	X	1/2" JIC Male	5404-9M8J	15K PSI	
9/16"	X	5/8" JIC Male	5404-9M10J	10K PSI	
9/16"	X	3/4" JIC Male	5404-9M12J	10K PSI	
9/16"	X	1" JIC Male	5404-9M16J	10K PSI	
3/4"	X	3/8" JIC Male	5404-12M6J	15K PSI	
3/4"	X	1/2" JIC Male	5404-12M8J	15K PSI	
3/4"	X	3/4" JIC Male	5404-12M12J	10K PSI	
3/4"	X	1" JIC Male	5404-12M16J	10K PSI	
1"	X	1/2" JIC Male	5404-16M8J	15K PSI	
1"	X	3/4" JIC Male	5404-16M12J	10K PSI	
1"	X	1" JIC Male	5404-16M16J	10K PSII	

Medium Pressure Male x Type M Male 5404-MM_

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	Medium Pressure Male	X 9/16" Type M Male	5404-4MM9	20K PSI	
1/4"	Medium Pressure Male	X 3/4" Type M Male	5404-4MM12	20K PSI	
1/4"	Medium Pressure Male	X 1" Type M Male	5404-4MM16	20K PSI	
3/8"	Medium Pressure Male	X 9/16" Type M Male	5404-6MM9	20K PSI	
3/8"	Medium Pressure Male	X 3/4" Type M Male	5404-6MM12	20K PSI	
3/8"	Medium Pressure Male	X 1" Type M Male	5404-6MM16	20K PSI	
9/16"	Medium Pressure Male	X 9/16" Type M Male	5404-9MM9	20K PSI	
9/16"	Medium Pressure Male	X 3/4" Type M Male	5404-9MM12	20K PSI	
9/16"	Medium Pressure Male	X 1" Type M Male	5404-9MM16	20K PSI	
9/16"	Medium Pressure Male	X 1-5/16" Type M Male	5404-9MM21	20K PSI	
3/4"	Medium Pressure Male	X 9/16" Type M Male	5404-12MM9	20K PSI	
3/4"	Medium Pressure Male	X 3/4" Type M Male	5404-12MM12	20K PSI	
3/4"	Medium Pressure Male	X 1" Type M Male	5404-12MM16	20K PSI	
3/4"	Medium Pressure Male	X 1-5/16" Type M Male	5404-12MM21	20K PSI	
1"	Medium Pressure Male	X 9/16" Type M Male	5404-16MM9	20K PSI	
1"	Medium Pressure Male	X 3/4" Type M Male	5404-16MM12	20K PSI	
1"	Medium Pressure Male	X 1" Type M Male	5404-16MM16	20K PSI	
1"	Medium Pressure Male	X 1-5/16" Type M Male	5404-16MM21	20K PSI	



NPT HEX CONNECTIONS

Valves & Fittings Catalog

Medium Pressure Female x NPT Male 5406-_M_N

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	Medium Pressure Female	X 1/8" NPT Male	5406-4M2N	15K PSI	
1/4"	Medium Pressure Female	X 1/4" NPT Male	5406-4M4N	15K PSI	
1/4"	Medium Pressure Female	X 3/8" NPT Male	5406-4M6N	15K PSI	
1/4"	Medium Pressure Female	X 1/2" NPT Male	5406-4M8N	15K PSI	
1/4"	Medium Pressure Female	X 3/4" NPT Male	5406-4M12N	10K PSI	
3/8"	Medium Pressure Female	X 1/4" NPT Male	5406-6M4N	15K PSI	
3/8"	Medium Pressure Female	X 3/8" NPT Male	5406-6M6N	15K PSI	
3/8"	Medium Pressure Female	X 1/2" NPT Male	5406-6M8N	15K PSI	
3/8"	Medium Pressure Female	X 3/4" NPT Male	5406-6M12N	10K PSI	
3/8"	Medium Pressure Female	X 1" NPT Male	5406-6M16N	10K PSI	
9/16"	Medium Pressure Female	X 1/4" NPT Male	5406-9M4N	15K PSI	
9/16"	Medium Pressure Female	X 3/8" NPT Male	5406-9M6N	15K PSI	
9/16"	Medium Pressure Female	X 1/2" NPT Male	5406-9M8N	15K PSI	
9/16"	Medium Pressure Female	X 3/4" NPT Male	5406-9M12N	10K PSI	
9/16"	Medium Pressure Female	X 1" NPT Male	5406-9M16N	10K PSI	
3/4"	Medium Pressure Female	X 1/4" NPT Male	5406-12M4N	15K PSI	
3/4"	Medium Pressure Female	X 3/8" NPT Male	5406-12M6N	15K PSI	
3/4"	Medium Pressure Female	X 1/2" NPT Male	5406-12M8N	15K PSI	
3/4"	Medium Pressure Female	X 3/4" NPT Male	5406-12M12N	10K PSI	
3/4"	Medium Pressure Female	X 1" NPT Male	5406-12M16N	10K PSI	
1"	Medium Pressure Female	X 1/4" NPT Male	5406-16M4N	15K PSI	
1"	Medium Pressure Female	X 3/8" NPT Male	5406-16M6N	15K PSI	
1"	Medium Pressure Female	X 1/2" NPT Male	5406-16M8N	15K PSI	
1"	Medium Pressure Female	X 3/4" NPT Male	5406-16M12N	10K PSI	
1"	Medium Pressure Female	X 1" NPT Male	5406-16M16N	10K PSI	

Medium Pressure Female x Medium Pressure Male 5406-_M_M

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS	
1/4"	Medium Pressure Female	X	3/8"	Medium Pressure Male	5406-4M6M	20K PSI
1/4"	Medium Pressure Female	X	9/16"	Medium Pressure Male	5406-4M9M	20K PSI
1/4"	Medium Pressure Female	X	3/4"	Medium Pressure Male	5406-4M12M	20K PSI
1/4"	Medium Pressure Female	X	1"	Medium Pressure Male	5406-4M16M	20K PSI
3/8"	Medium Pressure Female	X	1/4"	Medium Pressure Male	5406-6M4M	20K PSI
3/8"	Medium Pressure Female	X	9/16"	Medium Pressure Male	5406-6M9M	20K PSI
3/8"	Medium Pressure Female	X	3/4"	Medium Pressure Male	5406-6M12M	20K PSI
3/8"	Medium Pressure Female	X	1"	Medium Pressure Male	5406-6M16M	20K PSI
9/16"	Medium Pressure Female	X	1/4"	Medium Pressure Male	5406-9M4M	20K PSI
9/16"	Medium Pressure Female	X	3/8"	Medium Pressure Male	5406-9M6M	20K PSI
9/16"	Medium Pressure Female	X	3/4"	Medium Pressure Male	5406-9M12M	20K PSI
9/16"	Medium Pressure Female	X	1"	Medium Pressure Male	5406-9M16M	20K PSI
3/4"	Medium Pressure Female	X	1/4"	Medium Pressure Male	5406-12M4M	20K PSI
3/4"	Medium Pressure Female	X	3/8"	Medium Pressure Male	5406-12M6M	20K PSI
3/4"	Medium Pressure Female	X	9/16"	Medium Pressure Male	5406-12M9M	20K PSI
3/4"	Medium Pressure Female	X	1"	Medium Pressure Male	5406-12M16M	20K PSI
1"	Medium Pressure Female	X	1/4"	Medium Pressure Male	5406-16M4M	20K PSI
1"	Medium Pressure Female	X	3/8"	Medium Pressure Male	5406-16M6M	20K PSI
1"	Medium Pressure Female	X	9/16"	Medium Pressure Male	5406-16M9M	20K PSI
1"	Medium Pressure Female	X	3/4"	Medium Pressure Male	5406-16M12M	20K PSI

**Medium Pressure Female x High Pressure Male
5406-_M_H**

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	Medium Pressure Female	X	1/4" High Pressure Male	5406-4M4H	20K PSI
1/4"	Medium Pressure Female	X	3/8" High Pressure Male	5406-4M6H	20K PSI
1/4"	Medium Pressure Female	X	9/16" High Pressure Male	5406-4M9H	20K PSI
3/8"	Medium Pressure Female	X	1/4" High Pressure Male	5406-6M4H	20K PSI
3/8"	Medium Pressure Female	X	3/8" High Pressure Male	5406-6M6H	20K PSI
3/8"	Medium Pressure Female	X	9/16" High Pressure Male	5406-6M9H	20K PSI
9/16"	Medium Pressure Female	X	1/4" High Pressure Male	5406-9M4H	20K PSI
9/16"	Medium Pressure Female	X	3/8" High Pressure Male	5406-9M6H	20K PSI
9/16"	Medium Pressure Female	X	9/16" High Pressure Male	5406-9M9H	20K PSI
3/4"	Medium Pressure Female	X	1/4" High Pressure Male	5406-12M4H	20K PSI
3/4"	Medium Pressure Female	X	3/8" High Pressure Male	5406-12M6H	20K PSI
3/4"	Medium Pressure Female	X	9/16" High Pressure Male	5406-12M9H	20K PSI
1"	Medium Pressure Female	X	1/4" High Pressure Male	5406-16M4H	20K PSI
1"	Medium Pressure Female	X	3/8" High Pressure Male	5406-16M6H	20K PSI
1"	Medium Pressure Female	X	9/16" High Pressure Male	5406-16M9H	20K PSI

Medium Pressure Female x Medium Pressure Female 5000-_M_M

These are stocked items only. Custom Combinations are available



FEMALE	X	FEMALE	PART NUMBER	MAWP	COMMENTS	
1/4"	Medium Pressure Female	X	1/4"	Medium Pressure Female	5000-4M4M	20K PSI
1/4"	Medium Pressure Female	X	3/8"	Medium Pressure Female	5000-4M6M	20K PSI
1/4"	Medium Pressure Female	X	9/16"	Medium Pressure Female	5000-4M9M	20K PSI
1/4"	Medium Pressure Female	X	3/4"	Medium Pressure Female	5000-4M12M	20K PSI
1/4"	Medium Pressure Female	X	1"	Medium Pressure Female	5000-4M16M	20K PSI
3/8"	Medium Pressure Female	X	3/8"	Medium Pressure Female	5000-6M6M	20K PSI
3/8"	Medium Pressure Female	X	9/16"	Medium Pressure Female	5000-6M9M	20K PSI
3/8"	Medium Pressure Female	X	3/4"	Medium Pressure Female	5000-6M12M	20K PSI
3/8"	Medium Pressure Female	X	1"	Medium Pressure Female	5000-6M16M	20K PSI
9/16"	Medium Pressure Female	X	9/16"	Medium Pressure Female	5000-9M9M	20K PSI
9/16"	Medium Pressure Female	X	3/4"	Medium Pressure Female	5000-9M12M	20K PSI
9/16"	Medium Pressure Female	X	1"	Medium Pressure Female	5000-9M16M	20K PSI
3/4"	Medium Pressure Female	X	3/4"	Medium Pressure Female	5000-12M12M	20K PSI
3/4"	Medium Pressure Female	X	1"	Medium Pressure Female	5000-12M16M	20K PSI
1"	Medium Pressure Female	X	1"	Medium Pressure Female	5000-16M16M	20K PSI

Medium Pressure Female x High Pressure Female 5000-_M_H

These are stocked items only. Custom Combinations are available



FEMALE	X	FEMALE	PART NUMBER	MAWP	COMMENTS
1/4"	Medium Pressure Female	X 1/4" High Pressure Female	5000-4M4H	20K PSI	
1/4"	Medium Pressure Female	X 3/8" High Pressure Female	5000-4M6H	20K PSI	
1/4"	Medium Pressure Female	X 9/16" High Pressure Female	5000-4M9H	20K PSI	
3/8"	Medium Pressure Female	X 1/4" High Pressure Female	5000-6M4H	20K PSI	
3/8"	Medium Pressure Female	X 3/8" High Pressure Female	5000-6M6H	20K PSI	
3/8"	Medium Pressure Female	X 9/16" High Pressure Female	5000-6M9H	20K PSI	
9/16"	Medium Pressure Female	X 1/4" High Pressure Female	5000-9M4H	20K PSI	
9/16"	Medium Pressure Female	X 3/8" High Pressure Female	5000-9M6H	20K PSI	
9/16"	Medium Pressure Female	X 9/16" High Pressure Female	5000-9M9H	20K PSI	
3/4"	Medium Pressure Female	X 1/4" High Pressure Female	5000-12M4H	20K PSI	
3/4"	Medium Pressure Female	X 3/8" High Pressure Female	5000-12M6H	20K PSI	
3/4"	Medium Pressure Female	X 9/16" High Pressure Female	5000-12M9H	20K PSI	
1"	Medium Pressure Female	X 1/4" High Pressure Female	5000-16M4H	20K PSI	
1"	Medium Pressure Female	X 3/8" High Pressure Female	5000-16M6H	20K PSI	
1"	Medium Pressure Female	X 9/16" High Pressure Female	5000-16M9H	20K PSI	

High Pressure Male x High Pressure Male 5404-HH

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	1/4" High Pressure Male	5404-4H4H	60K PSI	
1/4"	X	3/8" High Pressure Male	5404-4H6H	60K PSI	
1/4"	X	9/16" High Pressure Male	5404-4H9H	60K PSI	
3/8"	X	3/8" High Pressure Male	5404-6H6H	60K PSI	
3/8"	X	9/16" High Pressure Male	5404-6H9H	60K PSI	
9/16"	X	9/16" High Pressure Male	5404-9H9H	60K PSI	

High Pressure Male x BSPP Male 5404-HB

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	1/4" BSPP Internal Male	5404-4H4B	30K PSI	Internal cone
1/4"	X	1/4" BSPP External Male	5404-4H4BE	30K PSI	External cone
1/4"	X	3/8" BSPP Internal Male	5404-4H6B	30K PSI	Internal cone
3/8"	X	3/8" BSPP Internal Male	5404-6H6B	30K PSI	Internal cone
9/16"	X	1/4" BSPP Internal Male	5404-9H4B	30K PSI	Internal cone
9/16"	X	1/2" BSPP Internal Male	5404-9H8B	30K PSI	Internal cone

High Pressure Male x JIC Male 5404-HJ

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	1/4" JIC Male	5404-4H4J	15K PSI	
1/4"	X	3/8" JIC Male	5404-4H6J	15K PSI	
1/4"	X	1/2" JIC Male	5404-4H8J	15K PSI	
3/8"	X	1/4" JIC Male	5404-6H4J	15K PSI	
3/8"	X	3/8" JIC Male	5404-6H6J	15K PSI	
3/8"	X	1/2" JIC Male	5404-6H8J	15K PSI	
9/16"	X	3/8" JIC Male	5404-9H6J	15K PSI	
9/16"	X	1/2" JIC Male	5404-9H8J	15K PSI	
9/16"	X	3/4" JIC Male	5404-9H12J	10K PSI	
9/16"	X	1" JIC Male	5404-9H16J	10K PSI	

High Pressure Male x Type M Male 5404-HM

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	9/16" Type M Male	5404-4HM9	40K PSI	
1/4"	X	3/4" Type M Male	5404-4HM12	30K PSI	
3/8"	X	9/16" Type M Male	5404-6HM9	40K PSI	
3/8"	X	3/4" Type M Male	5404-6HM12	30K PSI	
3/8"	X	7/8" Type M Male	5404-6HM14	40K PSI	
9/16"	X	9/16" Type M Male	5404-9HM9	40K PSI	
9/16"	X	3/4" Type M Male	5404-9HM12	30K PSI	
9/16"	X	7/8" Type M Male	5404-9HM14	40K PSI	
9/16"	X	1" Type M Male	5404-9HM16	30K PSI	
9/16"	X	1-1/8" Type M Male	5404-9HM18	40K PSI	
9/16"	X	1-5/16" Type M Male	5404-9HM21	20K PSI	
1"	X	3/4" Type M Male	5404-16HM12	30K PSI	
1"	X	1" Type M Male	5404-16HM16	30K PSI	

High Pressure Female x NPT Male 5406-_H_N

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	1/8" NPT Male	5406-4H2N	15K PSI	
1/4"	X	1/4" NPT Male	5406-4H4N	15K PSI	
1/4"	X	3/8" NPT Male	5406-4H6N	15K PSI	
1/4"	X	1/2" NPT Male	5406-4H8N	15K PSI	
1/4"	X	3/4" NPT Male	5406-4H12N	10K PSI	
1/4"	X	1" NPT Male	5406-4H16N	10K PSI	
3/8"	X	1/16" NPT Male	5406-6H1N	15K PSI	
3/8"	X	1/8" NPT Male	5406-6H2N	15K PSI	
3/8"	X	1/4" NPT Male	5406-6H4N	15K PSI	
3/8"	X	3/8" NPT Male	5406-6H6N	15K PSI	
3/8"	X	1/2" NPT Male	5406-6H8N	15K PSI	
3/8"	X	3/4" NPT Male	5406-6H12N	10K PSI	
3/8"	X	1" NPT Male	5406-6H16N	10K PSI	
9/16"	X	1/4" NPT Male	5406-9H4N	15K PSI	
9/16"	X	3/8" NPT Male	5406-9H6N	15K PSI	
9/16"	X	1/2" NPT Male	5406-9H8N	15K PSI	
9/16"	X	3/4" NPT Male	5406-9H12N	10K PSI	
9/16"	X	1" NPT Male	5406-9H16N	10K PSI	

High Pressure Female x Medium Pressure Male 5406-_H_M

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	1/4" Medium Pressure Male	5406-4H4M	20K PSI	
1/4"	X	3/8" Medium Pressure Male	5406-4H6M	20K PSI	
1/4"	X	9/16" Medium Pressure Male	5406-4H9M	20K PSI	
1/4"	X	3/4" Medium Pressure Male	5406-4H12M	20K PSI	
1/4"	X	1" Medium Pressure Male	5406-4H16M	20K PSI	
3/8"	X	1/4" Medium Pressure Male	5406-6H4M	20K PSI	
3/8"	X	3/8" Medium Pressure Male	5406-6H6M	20K PSI	
3/8"	X	9/16" Medium Pressure Male	5406-6H9M	20K PSI	
3/8"	X	3/4" Medium Pressure Male	5406-6H12M	20K PSI	
3/8"	X	1" Medium Pressure Male	5406-6H16M	20K PSI	
9/16"	X	1/4" Medium Pressure Male	5406-9H4M	20K PSI	
9/16"	X	3/8" Medium Pressure Male	5406-9H6M	20K PSI	
9/16"	X	9/16" Medium Pressure Male	5406-9H9M	20K PSI	
9/16"	X	3/4" Medium Pressure Male	5406-9H12M	20K PSI	
9/16"	X	1" Medium Pressure Male	5406-9H16M	20K PSI	

High Pressure Female x High Pressure Male 5406-_H_H

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	3/8" High Pressure Male	5406-4H6H	60K PSI	
1/4"	X	9/16" High Pressure Male	5406-4H9H	60K PSI	
3/8"	X	1/4" High Pressure Male	5406-6H4H	60K PSI	
3/8"	X	9/16" High Pressure Male	5406-6H9H	60K PSI	
9/16"	X	1/4" High Pressure Male	5406-9H4H	60K PSI	
9/16"	X	3/8" High Pressure Male	5406-9H6H	60K PSI	
9/16"	X	9/16" High Pressure Male	5406-9H9H	60K PSI	

High Pressure Female x High Pressure Female 5000-_H_H

These are stocked items only. Custom Combinations are available



FEMALE	X	FEMALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	1/4" High Pressure Female	5000-4H4H	60K PSI	
1/4"	X	3/8" High Pressure Female	5000-4H6H	60K PSI	
1/4"	X	9/16" High Pressure Female	5000-4H9H	60K PSI	
3/8"	X	3/8" High Pressure Female	5000-6H6H	60K PSI	
3/8"	X	9/16" High Pressure Female	5000-6H9H	60K PSI	
9/16"	X	9/16" High Pressure Female	5000-9H9H	60K PSI	

BSPP Male x BSPP Male
5404-_B_B

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/8"	X	1/4" BSPP External Male	5404-2BE4BE	30K PSI	External Cone
1/4"	X	1/4" BSPP Internal Male	5404-4B4B	30K PSI	Internal Cone
1/4"	X	1/4" BSPP Internal Male	5404-4B4BE	30K PSI	Internal x External Cone
1/4"	X	1/4" BSPP External Male	5404-4BE4BE	30K PSI	External Cone
3/8"	X	3/8" BSPP Internal Male	5404-6B6B	30K PSI	Internal Cone
1/2"	X	1/2" BSPP Internal Male	5404-8B8B	30K PSI	Internal Cone
3/4"	X	3/4" BSPP Internal Male	5404-12B12B	30K PSI	Internal Cone

BSP Male x Type M Male
5404-_BM_

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	9/16" Type M Male	5404-4BM9	30K PSI	Internal Cone
1/4"	X	9/16" Type M Male	5404-4BEM9	30K PSI	External Cone
3/8"	X	9/16" Type M Male	5404-6BM9	30K PSI	Internal Cone
1/2"	X	9/16" Type M Male	5404-8BM9	30K PSI	Internal Cone

JIC Male x JIC Male 5404-JJ

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4" JIC Male	X	1/4" JIC Male	5404-4J4J	15K PSI	
1/4" JIC Male	X	3/8" JIC Male	5404-4J6J	15K PSI	
1/4" JIC Male	X	1/2" JIC Male	5404-4J8J	15K PSI	
3/8" JIC Male	X	3/8" JIC Male	5404-6J6J	15K PSI	
3/8" JIC Male	X	1/2" JIC Male	5404-6J8J	15K PSI	
1/2" JIC Male	X	1/2" JIC Male	5404-8J8J	15K PSI	
1" JIC Male	X	1" JIC Male	5504-16J16J	10K PSI	

JIC Male x Type M Male 5404-JM_

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4" JIC Male	X	9/16" Type M Male	5404-4JM9	15K PSI	
3/8" JIC Male	X	9/16" Type M Male	5404-6JM9	15K PSI	
3/8" JIC Male	X	1" Type M Male	5404-6JM16	15K PSI	
1/2" JIC Male	X	3/4" Type M Male	5404-8JM12	15K PSI	
1/2" JIC Male	X	1" Type M Male	5404-8JM16	15K PSI	
1/2" JIC Male	X	1-5/16" Type M Male	5404-8JM21	15K PSI	
3/4" JIC Male	X	1" Type M Male	5404-12JM16	10K PSI	
3/4" JIC Male	X	1-5/16" Type M Male	5404-12JM21	10K PSI	

JIC Female x JIC Male 5406-_J_J

These are stocked items only. Custom Combinations are available



FEMALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	JIC Female	5406-4J4J	15K PSI	
1/4"	X	JIC Female	5406-4J6J	15K PSI	
3/8"	X	JIC Female	5406-6J4J	15K PSI	
3/8"	X	JIC Female	5406-6J6J	15K PSI	
3/8"	X	JIC Female	5406-6J8J	15K PSI	
1/2"	X	JIC Female	5406-8J4J	15K PSI	
1/2"	X	JIC Female	5406-8J6J	15K PSI	
1/2"	X	JIC Female	5406-8J8J	15K PSI	
3/4"	X	JIC Female	5406-12J12J	10K PSI	
1"	X	JIC Female	5406-16J12J	10K PSI	
1"	X	JIC Female	5406-16J16J	10K PSI	

JIC Female x Type M Male 5406-_JM_

These are stocked items only. Custom Combinations are available



MALE	X	FEMALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	JIC Female	5406-4JM9	15K PSI	
1/4"	X	JIC Female	5406-4JM12	15K PSI	
3/8"	X	JIC Female	5406-6JM9	15K PSI	
3/8"	X	JIC Female	5406-6JM12	15K PSI	
3/8"	X	JIC Female	5406-6JM16	15K PSI	
1/2"	X	JIC Female	5406-8JM9	15K PSI	
1/2"	X	JIC Female	5406-8JM21	15K PSI	
3/4"	X	JIC Female	5406-12JM16	10K PSI	
3/4"	X	JIC Female	5406-12JM21	10K PSI	

JIC Female x JIC Female 5000-JJ

These are stocked items only. Custom Combinations are available



FEMALE	X	FEMALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	JIC Female	5000-4J4J	15K PSI	
1/4"	X	JIC Female	5000-4J6J	15K PSI	
1/4"	X	JIC Female	5000-4J8J	15K PSI	
3/8"	X	JIC Female	5000-6J6J	15K PSI	
3/8"	X	JIC Female	5000-6J8J	15K PSI	
1/2"	X	JIC Female	5000-8J8J	15K PSI	
3/4"	X	JIC Female	5000-12J12J	10K PSI	
3/4"	X	JIC Female	5000-12J16J	10K PSI	
1""	X	JIC Female	5000-16J16J	10K PSI	

Type M Male x Type M Male 5404-MM

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
9/16"	X	Type M Male	5404-M9M9	40K PSI	
9/16"	X	Type M Male	5404-M9M12	30K PSI	
9/16"	X	Type M Male	5404-M9M14	40K PSI	
9/16"	X	Type M Male	5404-M9M16	30K PSI	
9/16"	X	Type M Male	5404-M9M18	40K PSI	
9/16"	X	Type M Male	5404-M9M21	20K PSI	
3/4"	X	Type M Male	5404-M12M12	30K PSI	
3/4"	X	Type M Male	5404-M12M14	30K PSI	
3/4"	X	Type M Male	5404-M12M16	30K PSI	
3/4"	X	Type M Male	5404-M12M21	20K PSI	
7/8"	X	Type M Male	5404-M14M14	40K PSI	
7/8"	X	Type M Male	5404-M14M16	30K PSI	
7/8"	X	Type M Male	5404-M14M18	40K PSI	
1"	X	Type M Male	5404-M16M16	30K PSI	
1"	X	Type M Male	5404-M16M21	20K PSI	
1-1/8"	X	Type M Male	5404-M18M18	40K PSI	
1-5/16"	X	Type M Male	5404-M21M21	20K PSI	

Caps 5406C-

These are stocked items only. Custom Combinations are available



FEMALE	PART NUMBER	MAWP	COMMENTS
1/8" NPT Cap	5406C-2N	15K PSI	
1/4" NPT Cap	5406C-4N	15K PSI	
3/8" NPT Cap	5406C-6N	15K PSI	
1/2" NPT Cap	5406C-8N	15K PSI	
3/4" NPT Cap	5406C-12N	10K PSI	
1" NPT Cap	5406C-16N	10K PSI	
1/4" Medium Pressure Cap	5406C-4M	20K PSI	
3/8" Medium Pressure Cap	5406C-6M	20K PSI	
9/16" Medium Pressure Cap	5406C-9M	20K PSI	
3/4" Medium Pressure Cap	5406C-12M	20K PSI	
1" Medium Pressure Cap	5406C-16M	20K PSI	
1/4" High Pressure Cap	5406C-4H	60K PSI	
3/8" High Pressure Cap	5406C-6H	60K PSI	
9/16" High Pressure Cap	5406C-9H	60K PSI	
1/4" JIC Cap	5406-4J	10K PSI	
3/8" JIC Cap	5406-6J	10K PSI	
1/2" JIC Cap	5406-8J	10K PSI	
5/8" JIC Cap	5406-10J	10K PSI	
3/4" JIC Cap	5406-12J	10K PSI	
1" JIC Cap	5406-16J	10K PSI	
9/16" Type M Cap	5406C-M9	40K PSI	
3/4" Type M Cap	5406C-M12	40K PSI	
1" Type M Cap	5406C-M16	30K PSI	
1-5/16" Type M Cap	5406C-M21	20K PSI	

Plugs 5406P-

These are stocked items only. Custom Combinations are available



MALE	PART NUMBER	MAWP	COMMENTS
1/16" NPT Plug	5406P-1N	15K PSI	Hex
1/8" NPT Plug	5406P-2N	15K PSI	Hex
1/4" NPT Plug	5406P-4N	15K PSI	Hex
3/8" NPT Plug	5406P-6N	15K PSI	Hex
1/2" NPT Plug	5406P-8N	15K PSI	Hex
3/4" NPT Plug	5406P-12N	10K PSI	Hex
1" NPT Plug	5406P-16N	10K PSI	Hex
1/4" Medium Pressure Plug	5406P-4M	20K PSI	Round
3/8" Medium Pressure Plug	5406P-6M	20K PSI	Round
9/16" Medium Pressure Plug	5406P-9M	20K PSI	Round
3/4" Medium Pressure Plug	5406P-12M	20K PSI	Round
1" Medium Pressure Plug	5406P-16M	20K PSI	Round
1/4" High Pressure Plug	5406P-4H	60K PSI	Round
3/8" High Pressure Plug	5406P-6H	60K PSI	Round
9/16" High Pressure Plug	5406P-9H	60K PSI	Round
1/4" BSPP Plug	5406P-4BE	30K PSI	Hex
1/4" JIC Plug	5406P-4J	15K PSI	Hex
3/8" JIC Plug	5406P-6J	15K PSI	Hex
1/2" JIC Plug	5406P-8J	15K PSI	Hex
5/8" JIC Plug	5406P-10J	10K PSI	Hex
3/4" JIC Plug	5406P-12J	10K PSI	Hex
1" JIC Plug	5406P-16J	10K PSI	Hex
9/16" Type M Plug	5406P-M9	40K PSI	Hex
3/4" Type M Plug	5406P-M12	40K PSI	Hex
7/8" Type M Plug	5406P-M14	40K PSI	Hex
1" Type M Plug	5406P-M16	30K PSI	Hex
1-1/8" Type M Plug	5406P-M18	30K PSI	Hex
1-5/16" Type M Plug	5406P-M21	20K PSI	Hex
1/4" NPT Plug	5406P-HH-4N	15K PSI	Socket
3/8" NPT Plug	5406P-HH-6N	15K PSI	Socket
1/2" NPT Plug	5406P-HH-8N	15K PSI	Socket

Round Nipples 5404N-___.0

These are stocked items only. Custom Combinations are available



MALE	X	MALE	PART NUMBER	MAWP	COMMENTS
1/4"	X	1/4" NPT Male	5404N-4N2.0	15K PSI	2.00" Long
1/4"	X	1/4" NPT Male	5404N-4N3.0	15K PSI	3.00" Long
1/4"	X	1/4" NPT Male	5404N-4N4.0	15K PSI	4.00" Long
1/4"	X	1/4" NPT Male	5404N-4N6.0	15K PSI	6.00" Long
3/8"	X	3/8" NPT Male	5404N-6N2.0	15K PSI	2.00" Long
3/8"	X	3/8" NPT Male	5404N-6N3.0	15K PSI	3.00" Long
3/8"	X	3/8" NPT Male	5404N-6N4.0	15K PSI	4.00" Long
3/8"	X	3/8" NPT Male	5404N-6N6.0	15K PSI	6.00" Long
1/2"	X	1/2" NPT Male	5404N-8N2.0	15K PSI	2.00" Long
1/2"	X	1/2" NPT Male	5404N-8N3.0	15K PSI	3.00" Long
1/2"	X	1/2" NPT Male	5404N-8N4.0	15K PSI	4.00" Long
1/2"	X	1/2" NPT Male	5404N-8N6.0	15K PSI	6.00" Long
3/4"	X	3/4" NPT Male	5404N-12N3.0	10K PSI	3.00" Long
3/4"	X	3/4" NPT Male	5404N-12N4.0	10K PSI	4.00" Long
3/4"	X	3/4" NPT Male	5404N-12N6.0	10K PSI	6.00" Long
1"	X	1" NPT Male	5404N-16N3.0	10K PSI	3.00" Long
1"	X	1" NPT Male	5404N-16N4.0	10K PSI	4.00" Long
1"	X	1" NPT Male	5404N-16N6.0	10K PSI	6.00" Long
1/4"	X	1/4" Medium Pressure Male	5404N-4M3.0	20K PSI	3.00" Long
1/4"	X	1/4" Medium Pressure Male	5404N-4M6.0	20K PSI	6.00" Long
3/8"	X	3/8" Medium Pressure Male	5404N-6M3.0	20K PSI	3.00" Long
3/8"	X	3/8" Medium Pressure Male	5404N-6M6.0	20K PSI	6.00" Long
9/16"	X	9/16" Medium Pressure Male	5404N-9M3.0	20K PSI	3.00" Long
9/16"	X	9/16" Medium Pressure Male	5404N-9M4.0	20K PSI	4.00" Long
9/16"	X	9/16" Medium Pressure Male	5404N-9M6.0	20K PSI	6.00" Long
1/4"	X	1/4" High Pressure Male	5404N-4H3.0	60K PSI	3.00" Long
1/4"	X	1/4" High Pressure Male	5404N-4H6.0	60K PSI	6.00" Long
3/8"	X	3/8" High Pressure Male	5404N-6H3.0	60K PSI	3.00" Long
3/8"	X	3/8" High Pressure Male	5404N-6H6.0	60K PSI	6.00" Long
9/16"	X	9/16" High Pressure Male	5404N-9H4.0	60K PSI	4.00" Long
9/16"	X	9/16" High Pressure Male	5404N-9H6.0	60K PSI	6.00" Long

Round Elbows

These are stocked items only. Custom Combinations are available



FEMALE		PART NUMBER	MAWP	COMMENTS
1/8"	NPT Female	5504-2N	15K PSI	90 Degree
1/4"	NPT Female	5504-4N	15K PSI	90 Degree
3/8"	NPT Female	5504-6N	15K PSI	90 Degree
1/2"	NPT Female	5504-8N	15K PSI	90 Degree
3/4"	NPT Female	5504-12N	10K PSI	90 Degree
1"	NPT Female	5504-16N	10K PSI	90 Degree
1/4"	NPT Female	5505-4N	15K PSI	45 Degree
3/8"	NPT Female	5505-6N	15K PSI	45 Degree
1/2"	NPT Female	5505-8N	15K PSI	45 Degree
3/4"	NPT Female	5505-12N	10K PSI	45 Degree

Flat Elbows

These are stocked items only. Custom Combinations are available



		PART NUMBER	MAWP	COMMENTS
1/4"	NPT Male	5500F-4N	15K PSI	Male x Male
1/4"	NPT Male	5500F-4NM9	15K PSI	Male x Male
1/4"	NPT Street	5502F-4N	15K PSI	Male x Female
1/4"	NPT Female	5504F-4N	15K PSI	Female x Female
3/8"	NPT Male	5500F-6N	15K PSI	Male x Male
3/8"	NPT Street	5502F-6N	15K PSI	Male x Female
3/8"	NPT Female	5504F-6N	15K PSI	Female x Female
1/2"	NPT Male	5500F-8N	15K PSI	Male x Male
1/2"	NPT Street	5502F-8N	15K PSI	Male x Female
1/2"	NPT Female	5504F-8N	15K PSI	Female x Female
1/4"	Medium Pressure Female	5504-4M	20K PSI	Complete w/ Gland & Collar
3/8"	Medium Pressure Female	5504-6M	20K PSI	Complete w/ Gland & Collar
9/16"	Medium Pressure Female	5504-9M	20K PSI	Complete w/ Gland & Collar
3/4"	Medium Pressure Female	5504-12M	20K PSI	Complete w/ Gland & Collar
1"	Medium Pressure Female	5504-16M	20K PSI	Complete w/ Gland & Collar
1/4"	High Pressure Female	5504-4H	60K PSI	Complete w/ Gland & Collar
3/8"	High Pressure Female	5504-6H	60K PSI	Complete w/ Gland & Collar
9/16"	High Pressure Female	5504-9H	60K PSI	Complete w/ Gland & Collar

Round Tees

These are stocked items only. Custom Combinations are available



FEMALE		PART NUMBER	MAWP	COMMENTS
1/8"	NPT Female	5605-2N	15K PSI	
1/4"	NPT Female	5605-4N	15K PSI	
3/8"	NPT Female	5605-6N	15K PSI	
1/2"	NPT Female	5605-8N	15K PSI	
3/4"	NPT Female	5605-12N	10K PSI	
1"	NPT Female	5605-16N	10K PSI	

Flat Tees

These are stocked items only. Custom Combinations are available



FEMALE		PART NUMBER	MAWP	COMMENTS
1/4"	NPT Female	5605F-4N	15K PSI	
1/4"	Medium Pressure Female	5605-4M	20K PSI	
3/8"	Medium Pressure Female	5605-6M	20K PSI	
9/16"	Medium Pressure Female	5605-9M	20K PSI	
3/4"	Medium Pressure Female	5605-12M	20K PSI	
1"	Medium Pressure Female	5605-16M	20K PSI	
1/4"	High Pressure Female	5605-4H	60K PSI	
3/8"	High Pressure Female	5605-6H	60K PSI	
9/16"	High Pressure Female	5605-9H	60K PSI	

Round Crosses

These are stocked items only. Custom Combinations are available



FEMALE		PART NUMBER	MAWP	COMMENTS
1/8"	NPT Female	5652-2N	15K PSI	
1/4"	NPT Female	5652-4N	15K PSI	
3/8"	NPT Female	5652-6N	15K PSI	
1/2"	NPT Female	5652-8N	15K PSI	
3/4"	NPT Female	5652-12N	10K PSI	
1"	NPT Female	5652-16N	10K PSI	

Flat Crosses

These are stocked items only. Custom Combinations are available



FEMALE		PART NUMBER	MAWP	COMMENTS
1/8"	NPT Female	5652F-2N	15K PSI	
1/4"	NPT Female	5652F-4N	15K PSI	
3/8"	NPT Female	5652F-6N	15K PSI	
1/2"	NPT Female	5652F-8N	15K PSI	
3/4"	NPT Female	5652F-12N	10K PSI	
1"	NPT Female	5652F-16N	10K PSI	
1/4"	Medium Pressure Female	5652-4M	20K PSI	
3/8"	Medium Pressure Female	5652-6M	20K PSI	
9/16"	Medium Pressure Female	5652-9M	20K PSI	
3/4"	Medium Pressure Female	5652-12M	20K PSI	
1"	Medium Pressure Female	5652-16M	20K PSI	
1/4"	High Pressure Female	5652-4H	60K PSI	
3/8"	High Pressure Female	5652-6H	60K PSI	
9/16"	High Pressure Female	5652-9H	60K PSI	

Medium & High Pressure Gland Nuts
0318-__


MALE	PART NUMBER	MAWP	COMMENTS
1/4" Medium Pressure Gland	0318-4M	20K PSI	
3/8" Medium Pressure Gland	0318-6M	20K PSI	
9/16" Medium Pressure Gland	0318-9M	20K PSI	
3/4" Medium Pressure Gland	0318-12M	20K PSI	
1" Medium Pressure Gland	0318-16M	20K PSI	
1/4" High Pressure Gland	0318-4H	60K PSI	
3/8" High Pressure Gland	0318-6H	60K PSI	
9/16" High Pressure Gland	0318-9H	60K PSI	

Medium & High Pressure Collars
0319-__


FEMALE	PART NUMBER	MAWP	COMMENTS
1/4" Medium Pressure Collar	0319-4M	20K PSI	
3/8" Medium Pressure Collar	0319-6M	20K PSI	
9/16" Medium Pressure Collar	0319-9M	20K PSI	
3/4" Medium Pressure Collar	0319-12M	20K PSI	
1" Medium Pressure Collar	0319-16M	20K PSI	
1/4" High Pressure Collar	0319-4H	60K PSI	
3/8" High Pressure Collar	0319-6H	60K PSI	
9/16" High Pressure Collar	0319-9H	60K PSI	

Quick Disconnect Female Couplers with Check Valve
HPC600-0-__

These are stocked items only. Custom Combinations are available



THREAD	PART NUMBER	MAWP	COMMENTS
9/16" Type M Male	HPC600-0-M9	30K PSI	
3/4" Type M Male	HPC600-0-M12	30K PSI	
1" Type M Male	HPC600-0-M16	30K PSI	
1/4" JIC Male	HPC600-0-4JM	15K PSI	
3/8" JIC Male	HPC600-0-6JM	15K PSI	
1/2" JIC Male	HPC600-0-8JM	15K PSI	
1/4" NPT Male	HPC600-0-4NM	15K PSI	
3/8" NPT Male	HPC600-0-6NM	15K PSI	
1/2" NPT Male	HPC600-0-8NM	15K PSI	
1/4" NPT Female	HPC600-0-4NF	15K PSI	
3/8" NPT Female	HPC600-0-6NF	15K PSI	
1/2" NPT Female	HPC600-0-8NF	15K PSI	
1/4" Medium Pressure Male	HPC600-0-4MM	20K PSI	
3/8" Medium Pressure Male	HPC600-0-6MM	20K PSI	
9/16" Medium Pressure Male	HPC600-0-9MM	20K PSI	
1/4" High Pressure Male	HPC600-0-4HM	30K PSI	
3/8" High Pressure Male	HPC600-0-6HM	30K PSI	
9/16" High Pressure Male	HPC600-0-9HM	30K PSI	

Quick Disconnect Male Nipple with Check Valve
HPC600-2-

These are stocked items only. Custom Combinations are available



THREAD	PART NUMBER	MAWP	COMMENTS
9/16" Type M Male	HPC600-2-M9	30K PSI	
3/4" Type M Male	HPC600-2-M12	30K PSI	
1" Type M Male	HPC600-2-M16	30K PSI	
1/4" JIC Male	HPC600-2-4JM	15K PSI	
3/8" JIC Male	HPC600-2-6JM	15K PSI	
1/2" JIC Male	HPC600-2-8JM	15K PSI	
1/4" NPT Male	HPC600-2-4NM	15K PSI	
3/8" NPT Male	HPC600-2-6NM	15K PSI	
1/2" NPT Male	HPC600-2-8NM	15K PSI	
1/4" NPT Female	HPC600-2-4NF	15K PSI	
3/8" NPT Female	HPC600-2-6NF	15K PSI	
1/2" NPT Female	HPC600-2-8NF	15K PSI	
1/4" Medium Pressure Male	HPC600-2-4MM	20K PSI	
3/8" Medium Pressure Male	HPC600-2-6MM	20K PSI	
9/16" Medium Pressure Male	HPC600-2-9MM	20K PSI	
1/4" High Pressure Male	HPC600-2-4HM	30K PSI	
3/8" High Pressure Male	HPC600-2-6HM	30K PSI	
9/16" High Pressure Male	HPC600-2-9HM	30K PSI	

Quick Disconnect Male Nipple without Check Valve
HPC600-1-__

These are stocked items only. Custom Combinations are available



THREAD	PART NUMBER	MAWP	COMMENTS
9/16" Type M Male	HPC600-1-M9	30K PSI	
3/4" Type M Male	HPC600-1-M12	30K PSI	
1" Type M Male	HPC600-1-M16	30K PSI	
1/4" JIC Male	HPC600-1-4JM	15K PSI	
3/8" JIC Male	HPC600-1-6JM	15K PSI	
1/2" JIC Male	HPC600-1-8JM	15K PSI	
1/4" NPT Male	HPC600-1-4NM	15K PSI	
3/8" NPT Male	HPC600-1-6NM	15K PSI	
1/2" NPT Male	HPC600-1-8NM	15K PSI	
1/4" NPT Female	HPC600-1-4NF	15K PSI	
3/8" NPT Female	HPC600-1-6NF	15K PSI	
1/2" NPT Female	HPC600-1-8NF	15K PSI	
1/4" Medium Pressure Male	HPC600-1-4MM	20K PSI	
3/8" Medium Pressure Male	HPC600-1-6MM	20K PSI	
9/16" Medium Pressure Male	HPC600-1-9MM	20K PSI	
1/4" High Pressure Male	HPC600-1-4HM	30K PSI	
3/8" High Pressure Male	HPC600-1-6HM	30K PSI	
9/16" High Pressure Male	HPC600-1-9HM	30K PSI	

Two Way Straight Needle Valves
NV2S__-K



THREAD		PART NUMBER	MAWP	COMMENTS
1/4"	NPT Female	NV2S4N-15K	15K PSI	
3/8"	NPT Female	NV2S6N-15K	15K PSI	
1/2"	NPT Female	NV2S8N-15K	15K PSI	
1/2"	NPT Female	NV2S8NMF-15K	15K PSI	
1/4"	Medium Pressure Female	NV2S4M-20K	20K PSI	
3/8"	Medium Pressure Female	NV2S6M-20K	20K PSI	
9/16"	Medium Pressure Female	NV2S9M-20K	20K PSI	
1/4"	High Pressure Female	NV2S4H-30K	30K PSI	
3/8"	High Pressure Female	NV2S6H-30K	30K PSI	
9/16"	High Pressure Female	NV2S9H-30K	30K PSI	
1/4"	High Pressure Female	NV2S4H-60K	60K PSI	
3/8"	High Pressure Female	NV2S6H-60K	60K PSI	
9/16"	High Pressure Female	NV2S9H-60K	60K PSI	

Two Way Angle Needle Valves
NV2A__-K



THREAD		PART NUMBER	MAWP	COMMENTS
1/4"	NPT Female	NV2A4N-15K	15K PSI	
3/8"	NPT Female	NV2A6N-15K	15K PSI	
1/2"	NPT Female	NV2A8N-15K	15K PSI	
1/4"	Medium Pressure Female	NV2A4M-20K	20K PSI	
3/8"	Medium Pressure Female	NV2A6M-20K	20K PSI	
9/16"	Medium Pressure Female	NV2A9M-20K	20K PSI	
1/4"	High Pressure Female	NV2A4H-30K	30K PSI	
3/8"	High Pressure Female	NV2A6H-30K	30K PSI	
9/16"	High Pressure Female	NV2A9H-30K	30K PSI	
1/4"	High Pressure Female	NV2A4H-60K	60K PSI	
3/8"	High Pressure Female	NV2A6H-60K	60K PSI	
9/16"	High Pressure Female	NV2A9H-60K	60K PSI	

Check Valves - Soft Seat
CV__S__K



THREAD		PART NUMBER	MAWP	COMMENTS
1/4"	NPT Female	CV4NFS-15K	15K PSI	
3/8"	NPT Female	CV6NFS-15K	15K PSI	
1/2"	NPT Female	CV8NFS-15K	15K PSI	
1/4"	Medium Pressure Female	CV4MFS-20K	20K PSI	
3/8"	Medium Pressure Female	CV6MFS-20K	20K PSI	
9/16"	Medium Pressure Female	CV9MFS-20K	20K PSI	
1/4"	High Pressure Female	CV4HFS-60K	60K PSI	
3/8"	High Pressure Female	CV6HFS-60K	60K PSI	
9/16"	High Pressure Female	CV9HFS-60K	60K PSI	

Check Valves - Metal Seat
CV__M__K



THREAD		PART NUMBER	MAWP	COMMENTS
1/4"	NPT Female	CV4NFB-15K	15K PSI	
3/8"	NPT Female	CV6NFB-15K	15K PSI	
1/2"	NPT Female	CV8NFB-15K	15K PSI	
1/4"	Medium Pressure Female	CV4MFB-20K	20K PSI	
3/8"	Medium Pressure Female	CV6MFB-20K	20K PSI	
9/16"	Medium Pressure Female	CV9MFB-20K	20K PSI	
1/4"	High Pressure Female	CV4HFB-60K	60K PSI	
3/8"	High Pressure Female	CV6HFB-60K	60K PSI	
9/16"	High Pressure Female	CV9HFB-60K	60K PSI	

Ball Valves - 2-Way Trunnion BV_T__-__K



1/4" Orifice

THREAD	PART NUMBER	MAWP	COMMENTS
1/4" NPT Female	BV4T4N-15K	15K PSI	
3/8" NPT Female	BV4T6N-15K	15K PSI	
1/2" NPT Female	BV4T8N-15K	15K PSI	
1/4" Medium Pressure Female	BV4T4M-20K	20K PSI	
3/8" Medium Pressure Female	BV4T6M-20K	20K PSI	
9/16" Medium Pressure Female	BV4T9M-20K	20K PSI	
1/4" High Pressure Female	BV4T4H-20K	20K PSI	
3/8" High Pressure Female	BV4T6H-20K	20K PSI	
9/16" High Pressure Female	BV4T9H-20K	20K PSI	

3/8" Orifice

THREAD	PART NUMBER	MAWP	COMMENTS
1/4" NPT Female	BV6T4N-15K	15K PSI	
3/8" NPT Female	BV6T6N-15K	15K PSI	
1/2" NPT Female	BV6T8N-15K	15K PSI	
1/4" Medium Pressure Female	BV6T4M-20K	20K PSI	
3/8" Medium Pressure Female	BV6T6M-20K	20K PSI	
9/16" Medium Pressure Female	BV6T9M-20K	20K PSI	
3/4" Medium Pressure Female	BV6T12M-20K	20K PSI	

1/2" Orifice

THREAD	PART NUMBER	MAWP	COMMENTS
1/2" NPT Female	BV8T8N-15K	15K PSI	
3/4" NPT Female	BV8T12N-10K	10K PSI	
1" NPT Female	BV8T16N-10K	10K PSI	
3/4" Medium Pressure Female	BV8T12M-15K	15K PSI	
1" Medium Pressure Female	BV8T16M-15K	15K PSI	

Medium Pressure Tubing TUBE_M-20K



SIZE		PART NUMBER	MAWP	COMMENTS
1/4"	Medium Pressure	TUBE-4M-20K	20K PSI	
3/8"	Medium Pressure	TUBE-6M-20K	20K PSI	
9/16"	Medium Pressure	TUBE-9M-20K	20K PSI	
3/4"	Medium Pressure	TUBE-12M-20K	20K PSI	
1"	Medium Pressure	TUBE-16M-20K	20K PSI	

High Pressure Tubing TUBE_H-60K



SIZE		PART NUMBER	MAWP	COMMENTS
1/4"	High Pressure	TUBE-4H-60K	60K PSI	
3/8"	High Pressure	TUBE-6H-60K	60K PSI	
9/16"	High Pressure	TUBE-9H-60K	60K PSI	

The items described in this document are hereby offered by Ultra Pressure Components. This offer and acceptance by any customer shall be governed by all of the following Terms and Conditions. Buyer's order for any item shall constitute acceptance of this offer.

1. Payment: Payment shall be made by Buyer net 30 days from the date of delivery of the items purchased.
2. Delivery: Unless noted, delivery shall be F.O.B. Seller's location. Any delivery dates shown are approximate only and Seller shall have no liability for delays in delivery.
3. Warranty: Seller warrants that items shall be free from defects in workmanship for a period of 1 year from delivery to Buyer. This warranty comprises the sole and entire warranty. Seller makes no other warranty, guarantee, or representations of any kind whatsoever including merchantability and fitness purpose.
4. Limitation of Remedy: Seller's liability arising from or in any way connected with the items sold shall be limited exclusively to repair or replacement of the items sold, or refund of purchase price, at Seller's sole option. In no event shall seller be liable for any incidental, consequential or other damages of any kind or nature whatsoever.
5. Order changes and cancellation: Seller will promptly respond to Buyer request for order changes and cancellations as to minimize costs to Buyer. Buyer shall be responsible for Seller's cost and reasonable profit for order changes and cancellations. If an acceptable agreement cannot be reached, Seller shall complete items to original order and Buyer shall be responsible for original order purchase price.
6. Return policy: Seller will not accept returns without prior authorization. Returns are accepted within six months of sale. Only standard adapters that are active items in current demand will be considered for return for credit. Non-standard and custom items will not be accepted. All goods will be subject to reinspection. A 15% charge or the original purchase price will be incurred to cover reinspection, and restocking. Shipping costs will be at customer's expense.
7. Entire Agreement: These terms and conditions, unless modified in writing and accepted by Seller, shall represent the entire Agreement pertaining to the purchased items.



17411 W. Strack Drive
Spring, Texas 77379
Telephone: (713)937-0017
Toll Free: (833)HIGHPSI
sales@ultrapressure.com
www.ultrapressure.com